

SPECIFICATION & TECHNICAL INFORMATION SHEET



PHP Item Number: PHP Crossover

DESCRIPTION:

The **PHP Crossover** is designed to attain access to all areas on the roof that may be obstructed by piping, ducting or equipment. It is specifically designed to be installed directly on the roof without penetrations, flashings or damage to the roofing material.

INSTALLATION PROCEDURE:

1. Layout isolation pads according to footprint of crossover.
2. Place bases on top of isolation pads.
3. Place each set of stairs in bases according to diagram.
4. Place planking for crossover landing on 1-3/4" B-B channel of each set of stairs.
5. Attach planking to 1-3/4" B-B channel with hold-down clip.
6. Set intermediate handrails on intermediate brackets and attach with 1" bolt and 1/2" spring nut.
7. Set top handrail on top brackets and attach with 1" bolt and 1/2" spring nut.
8. Tighten all nuts, bolts and hold-downs.

STORAGE:

Store in the original, unopened containers, under cover, until needed for installation.

LEED INFORMATION:

Frame/Steel

Post Consumer Recycled Content: 0%


Post Industrial Recycled Content: 25%

BASE MATERIAL:

Post Consumer Recycled Content: 80%

Post Industrial Recycled Content: 20%

Manufacturing Location:



PHP Crossover

PRODUCT DATA:

Property:

Base:

Base Material:

Base Color:

Base Density:

Minimum Performance:

Injection molded high density/high impact polypropylene with UV-inhibitors and Antioxidants
Black
55.8 lb/cu ft (894 kg/cu m)

Carbon Steel and Stainless Steel Framing:

Channel Type:

Form:

Thickness:

Carbon Steel Finish:

Stainless Steel Finish:

1-5/8" or 1-7/8" as required by loading
Roll-formed 3-sided tubular shape, perforated with 9/16" holes at 1-7/8" centers on three sides
12 gauge (2.7 mm)
Hot Dip Galvanized per ASTM A 123
Mill Finish

PHP Systems/Design
5534 Harvey Wilson Drive
Houston, TX 77020
Tel: (800) 797-6585 or Local (713) 672-5088
Fax: (713) 672-1170
www.phpsd.com
info@phpsd.com

This sheet is meant only to highlight PHP Systems/Design products and specifications. Information is subject to change without notice. PHP takes responsibility for furnishing quality materials, which meet published product specification. As neither PHP itself, nor its representatives practice architecture, PHP offers no opinion on, and expressly disclaims any responsibility for the soundness of any structure on which its products may be applied. If questions arise as to the soundness of structure, or its ability to support planned installation properly, the Owner should obtain opinions of competent structural engineers before proceeding. PHP accepts no liability for any structural failure or for resultant damages, and no PHP Representative is authorized to vary this disclaimer.